

Bi-Axial Rotational Moulding Machine

- Advanced designed Machine.
- Fully automatic & compact for consistent quality product.
- Sturdy & Unique mechanical design for trouble free running.
- High efficient heating chamber for the best FUEL Economy.
- All electrical/mechanical safety interlock for safe working.
- High efficient LPG/DIESEL burner for fuel economy.
- Specially design blowers to work under high temperature.
- Unique design for easy maintenance.



Model	No. of Arms		Loading of Vertical Mould		Power HP	Oven Size (m)	Cooling System	Fuel	Machine Space Requirement (L x W x H) m
	straight	off-set	straight arm	off-set arm					
BRS-1	1	Nil	200/300/500 L x 4 Nos. OR 750/1000 L x 2 Nos.	NA	11.0	3.6 x 3.6 x 1.5	Air	LPG / Diesel	10 x 7 x 6
BRS-2	1	Nil	750/1000 L x 4 Nos. OR 1500/2000 L x 2 Nos.	NA	17.0	4.5 x 4.5 x 1.8	Air	LPG / Diesel	12 x 8 x 8
BRS-5	Nil	1	NA	3000/5000 L x 1 No.	16.5	3.6 x 3.6 x 2.75	Air	LPG / Diesel	12 x 9 x 6
BRS-10	Nil	1	NA	7500/10000 L x 1 No.	24.0	4.5 x 4.5 x 3.5	Air	LPG / Diesel	15 x 10 x 8
BRM-2-2S	2	1	200/300/500 L x 4 Nos. OR 750/1000 L x 2 Nos.	1500/2000 L x 1 No.	26.5	3.6 x 3.6 x 2.0	Air	LPG / Diesel	14 x 12 x 6
BRM-2-3S	3	Nil	750/1000 L x 4 Nos. OR 1500/2000 L x 2 Nos.	NA	45.0	4.5 x 4.5 x 1.8	Air	LPG / Diesel	21 x 14 x 8
BRM-5	2	1	200/300 L x 6 Nos. OR 500 L x 4 Nos. OR 750/1000 L x 2 Nos.	1500 to 5000 L x 1 No.	35.5	3.6 x 3.6 x 2.75	Air	LPG / Diesel	16 x 12 x 6

We also manufacture Customized Machines as per requirement

- ✦ Continuous Quality Improvement is our motto.
- ✦ Specifications are subject to change.